



MEASURING TRANSFORMERS (PLASTIC CASING)



BUS-BAR TRANSFORMERS									
MODEL	TU20			TU30			TU40		
Bus-Bar	20x5			30x10			40x10		
Cable	Ø16			Ø22			Ø30		
Accuracy Class	0,5	1	3	0,5	1	3	0,5	1	3
I _{pn} (A)	VA			VA			VA		
30	1								
40	1								
50	1						0,75	1,5	
60	1	2					1,25	2	
75	1,5	2,5					2	3,75	
100	2,5	3,75		1,25	2,5		1	3	5
125	3,75	5		1,25	2,5		2,5	3,75	5
150	3,75	5	7,5	1,5	2,5	3,75	3,75	5	7,5
200	5	7,5	10	2,5	3,75	5	3,75	5	7,5
250	7,5	10	15	3,75	5	7,5	5	7,5	10
300				3,75	5	7,5	7,5	10	15
400				3,75	5	7,5	10	15	20
500				5	7,5	10	10	15	20
600				5	7,5	10	10	15	20
750							10	15	20
800							15	20	30
1000							15	20	30

DIMENSIONS



MODELS	A B	C	D	E	F	G	H	I	J
TU20	Figure 1	56	74	33	48,5	48,5	60	32,5	37
TU30	Figure 2	60	79	36	51,5	51,5	63	34,5	41
TU40	Figure 3	71	96	45,5	61	61	72,5	44,5	52

Dimensions in mm.

TRANSFORMADORES DE PROTECCIÓN (ENVOLVENTE DE PLÁSTICO)



	PRIMARIO PASANTE					
MODELO	TUC30	TUC60	TUC80	TL2	TL3	TL4
Barra	30x10	60x10	80x30	100x20	100x30	100x60
Cable	Ø25	Ø51	Ø65	Ø20	Ø30	Ø60
Precisión	5P10 10P10	5P10 10P10	5P10 10P10	5P10 10P10	5P10 10P10	5P10 10P10
I _{pn} (A)	VA	VA	VA	VA	VA	VA
200	3,5 5	3,5 3,5	3,5 3,5			
250	5 5	3,5 3,5	3,5 3,5			
300	5 7,5	5 5	5 5			
400		5 5	5 5			
500		5 7,5	5 7,5			
600		7,5 10	7,5 10			
750		7,5 10	7,5 10			
800		10 10	10 10			
1000		10 10	10 10			
1200		10 10	10 10			
1500		10 12,5	10 12,5			
2000		10 12,5	10 12,5	5 7,5		
2500				5 7,5	7,5 10	
3000					7,5 10	5 7,5
4000						7,5 10
5000						7,5 10

DIMENSIONES





Figura 1




Figura 2





Figura 3

MODELOS	A B	C	D	E	F	G	H	I	J
TUC30	Figura 1	77	112	60,5	76	76	87,5	44,5	41
TUC60	Figura 2	105	136,5	60	76	75,5	87	54	81
TUC80	Figura 3	131	161,5	60	76	75,5	87	69	107

Dimensiones en mm.




MODELOS	A	B	C	D	E	F
TL2	102	20	94	178	38	66
TL3	103	32	114	210	45	71
TL4	104	62	156	224	50	78

Dimensiones en mm.

NARROW PROFILE CURRENT TRANSFORMERS (PLASTIC CASING)




BUS-BAR TRANSFORMERS									
MODEL	TU20PS			TU30PS		TU40PS		TU50PS	
Bus-Bar	20x6			30x10		40x10		50x10	
Cable	Ø18			Ø25		Ø30		Ø40	
Accuracy Class	0,5	1	3	0,5	1	0,5	1	0,5	1
I _{pn} (A)	VA			VA		VA		VA	
30			0,5						
40			1						
50			1						
60		1	1,5						
75		1,5	1,5						
100		1,5	2,5		1,5				
125	1,5	2,5	3,75		1,5				
150	2,5	3,75	5	1,5	2,5		2		
200	3,75	5	5	2,5	3,75	2,5	3,75		
250	5	7,5	7,5	3,75	5	2,5	3,75		
300				3,75	5	5	5		
400				3,75	5	5	5	3,75	5
500				5	7,5	5	7,5	5	7,5
600				5	7,5	5	7,5	7,5	10
750						5	7,5	7,5	10
800						5	7,5	7,5	10
1000								10	15



NARROW PROFILE CURRENT TRANSFORMERS (PLASTIC CASING)




BUS-BAR TRANSFORMERS							
MODEL	TU60PS		TU80PS		TU100PS		TU125PS
Bus-Bar	60x10		80x30		100x30		125x50
Cable	Ø50		Ø70		-		-
Accuracy Class	0,5	1	0,5	1	0,5	1	0,5 1
I _{pn} (A)	VA		VA		VA		VA
400	5	5	5	7,5			
500	5	7,5	5	7,5	5	7,5	5 7,5
600	5	7,5	7,5	10	7,5	10	5 7,5
750	5	7,5	7,5	10	7,5	10	7,5 10
800	7,5	10	7,5	10	7,5	10	7,5 10
1000	10	15	10	15	10	15	10 15
1200	15	20	15	20	15	20	15 20
1500	15	20	15	20	15	20	15 20
1600	15	20	15	20	15	20	15 20
2000			15	20	15	20	20 25
2500					20	25	20 25
3000					20	25	20 25
4000							25 30




MODELS	A	B	C
TU60PS	86	110	36
TU80PS	106	132	36
TU100PS	95	165	36
TU125PS	115	190	36

TU60PS



TU80PS



TU100PS TU125PS

MODELS	D	E
TU100PS	103	33
TU125PS	128	53




Dimensions in mm.

SPLIT-CORE TRANSFORMERS (PLASTIC CASING)



SPLIT-CORE TRANSFORMERS												
MODEL	TA30P			TA60P			TA80P			TA100P		
Bus-Bar	30x20			60x30			80x50			100x80		
Cable	Ø20			Ø30			Ø50			Ø80		
Accuracy	0,5	1	3	0,5	1	3	0,5	1	3	0,5	1	3
I _{pn} (A)	VA			VA			VA			VA		
100	3											
150	3,75											
200	2,5 4											
250	3,75 5			2,5 3,75			2,5 3,75			2,5 3,75		
300	2,5 4 6			3,75 5			3,75 5			3,75 5		
400	3,75 5 10			2,5 3,75 7,5			2,5 3,75 7,5			2,5 3,75 7,5		
500				3,75 5 15			3,75 5 15			5 7,5		
600				5 7,5 20			5 7,5 20			5 15		
750				7,5 10 20			7,5 10 20			5 10 20		
800				7,5 10 20			7,5 10 20			7,5 10 20		
1000				10 15 20			10 15 20			10 20 30		
1200										15 20 30		
1500										15 20 30		
2000										20 30 45		
2500										25 30 45		
3000										25 30 45		
4000										30 45 60		
5000										30 45 60		

DIMENSIONS



MODELS	A	B	C	D
TA30P	32	22	106	90
TA60P	62	32	136	100
TA80P	82	52	156	120
TA100P	104	82	178	150
TA125P	127	82	201	150
TA160P	162	82	236	150

Dimensions in mm.